

Name: Center for Advanced Metering Infrastructure (Center for Metrology Testing and Calibration), National Institute of Metrology, China

Address: No.18, Beisanhuan East Road, Chaoyang District, Beijing, China

Registration No. CNAS PT0037

Accreditation Criteria: ISO/IEC 17043:2010 and relevant requirements of CNAS

Effective Date: 2024-03-15 Expiry Date: 2030-01-05

SCHEDULE 2 ACCREDITED PROFICIENCY TESTING SCOPE FOR TESTING

№	Sample	Item/Parameter		Note	Effective Date
		№	Item/Parameter		
1	Sample for harmonic current emission	1	Harmonic current emission		2024-03-15
2	Sample for conducted disturbance	1	Conducted disturbance		2024-03-15
3	Sample for radiated disturbance	1	Radiated disturbance		2024-03-15
4	Sample for conducted emission of automotive electron	1	Conducted Emission of Automotive Electron		2024-03-15
5	Sample for emission of automotive electron radiation	1	Radiated Emission of Automotive Electron		2024-03-15
6	Sample for immunity to conducted disturbances, induced by radio-frequency fields	1	Immunity to conducted disturbances, induced by radio-frequency fields		2024-03-15



No. CNAS PT0037



INTERNATIONAL ADOPTED SCOPE FOR ISO 9001 CERTIFICATION
SCOPE OF ACCREDITATION CERTIFICATE



No. CNAS PT0037

The scope of the accreditation in Chinese remains the definitive version.

№	Sample	Item/Parameter		Note	Effective Date
		№	Item/Parameter		
		10	pendimethalin		2024-03-15
		11	imidacloprid		2024-03-15
		12	acetamiprid		2024-03-15
		13	bifenthrin		2024-03-15
		14	fenpropathrin		2024-03-15
		15	cypermethrin		2024-03-15
		16	procymidone		2024-03-15
		17	endosulfan		2024-03-15
		18	tebuconazole		2024-03-15
		19	quintozene		2024-03-15
		20	atrazine		2024-03-15
		21	ametryn		2024-03-15
		22	alachlor		2024-03-15
23	metribuzin		2024-03-15		
35	cucumber powder	1	methamidophos		2024-03-15
		2	dichlorvos		2024-03-15
		3	acephate		2024-03-15
		4	chlorpyrifos		2024-03-15
		5	isocarbophos		2024-03-15

No. CNAS PT0037

5 8



在线扫码获取验证

The scope of the accreditation in Chinese remains the definitive version.

№	Sample	Item/Parameter		Note	Effective Date
		№	Item/Parameter		
37	fish powder	1	nitrofurantol metabolites		2024-03-15
38	apple cider vinegar	1	sorbic acid		2024-03-15
39	oral solution	1	gliclazide		2024-03-15
		2	gliquidone		2024-03-15
40	peanut oil	1	aflatoxin B1		2024-03-15
41	brick tea	1	fluorine		2024-03-15
42	Water	1	H-3(Tritium)		2024-03-15
		2	Carbon-14		2024-03-15
		3	Gamma emitting radionuclides(Mn-54 Co-60 Cs-134 Cs-137)		2024-03-15
43	Components of Electrical Performance for Generic Cabling (Twisted Pair Cable)	1	Return Loss		2024-03-15
		2	Insertion Loss		2024-03-15
		3	Near End Crosstalk Attenuation (loss)		2024-03-15
		4	Attenuation to Crosstalk Ratio at the Far-end		2024-03-15
		5	Direct Current Loop Resistance		2024-03-15
		6	Propagation Delay		2024-03-15
44	chicken powder	1	Detection of Salmonella spp. in food		2024-03-15
45	flour	1	Eunmeration of Staphylococcus aureus in food		2024-03-15
46	milk powder	1	Eunmeration of microorganisms Colony-count in food		2024-03-15

No. CNAS PT0037

7 8



在线扫码获取验证

The scope of the accreditation in Chinese remains the definitive version.



INTERNATIONAL ADOPTED GUIDE FOR PROFICIENCY ASSESSMENT
SCOPE OF ACCREDITATION CERTIFICATE



No. CNAS PT0037

The scope of the accreditation in Chinese remains the definitive version.